

How To Use The Action Components In Nagios XI 5

Purpose


This document describes how to use Actions Component in Nagios XI 5.

If you are using Nagios XI 2024, use this updated [Actions document](#).

Editing Files

In parts of this documentation, you will be required to edit files. This documentation will use the vi text editor. When using the vi editor:

- To make changes press **i** on the keyboard first to enter insert mode.
- Press **Esc** to exit insert mode.
- When you have finished, save the changes in vi by typing **:wq** and press **Enter**.



Service Status Detail

Yum Updates
server01

Overview | [Icons]

YUM WARNING: O/S requires an update.

Status Details

Service State:	Warning
Duration:	2d 22h 31m 24s
Service Stability:	Unchanging (stable)
Last Check:	2017-02-02 16:03:00
Next Check:	2017-02-02 16:08:00

Quick Actions

- Acknowledge this problem
- Disable notifications
- Force an immediate check

Acknowledgements and Comments

No comments or acknowledgements.

How To Use The Action Components In Nagios XI 5

Component Description and Uses

The Actions Component allows Nagios XI administrators to create customized links to do specific tasks, they appear as a link under the **Quick Actions** options on **Service and Host Status Detail** page.

They can be as simple as opening a specific URL or as complex as passing specially formatted macros to a shell script to complete a task in bash.

The action can be configured to apply to a select number of hosts or services, specifying objects by their name, group, and/or through regular expressions.

The component also includes the ability of evaluating a block of PHP code to further limit the objects potentially affected by the action. This allows very complex sets of logic to apply to the link. This is one of the most powerful components in Nagios XI and should be deployed with care.

Configuring The Action Component

1. The Action Component is accessible from **Admin > System Extensions > Manage Components**.
2. Configure the Action Component settings by clicking the **wrench and screwdriver icon** under **Settings**.

Component	Type	Settings	Actions	Version	Status
Actions Adds custom actions to hosts and services. 2.0.0 Nagios Enterprises, LLC	User			2.0.0	

3. This will open the Action Component setting page which allows you to create quick action links. Make sure the **Enable Component** checkbox at the top is enabled.

How To Use The Action Components In Nagios XI 5

- Each quick action link you create has an **Enabled** checkbox. The **Match Criteria** is used to determine which host/services will have this quick action link on their detail page. The **Action** section identifies what action is run when the quick action link is selected. The **Code** section allows for more complex logic to be limited when the quick action link is enabled. The **Permissions** allow you to limit the type of users that will be able to see and use the action.

Actions

Actions Enabled

Enable custom actions in Nagios XI

Notes:

- The Host and Service fields are regular expression patterns passed to preg_match(). A link will only be displayed for hosts and services that match the expressions specified.
- The URL/Command field can contain macros that are substituted for each host and service.
- The Code field can contain optional PHP code to be evaluated.
- The URL/Command, Code, and Action Text fields can contain variables.

Enabled	Delete	Match Criteria	Action	Code	Permissions
<input type="checkbox"/>	<input type="button" value="X"/>	Object Type: Host Host: /.*/ Service: Hostgroup: Servicegroup:	Action Type: URL URL / Command: http://www.google.com/search?q=%host% Target: _blank Action Text: Search for host on Google	<pre>/* if ({{%objecttype% == 'host' && '%hoststateid%' != '0'}} ({{%objecttype% == 'service' && '%servicestateid%' != '0'}})) { \$img = '/nagiosxi/images /schedulecheck.png'; \$showlink = true; } else { \$showlink = false; } */</pre>	Everyone
<input type="checkbox"/>	<input type="button" value="X"/>	Object Type: Service Host: /.*/ Service: /.*/ Hostgroup: Servicegroup:	Action Type: URL URL / Command: http://www.google.com/search?q=%host%+%serv Target: _blank Action Text: Search for service on Google	<pre>/* if ({{%objecttype% == 'host' && '%hoststateid%' != '0'}} ({{%objecttype% == 'service' && '%servicestateid%' != '0'}})) { \$img = '/nagiosxi/images /schedulecheck.png'; \$showlink = true; } else { \$showlink = false; } */</pre>	Everyone
<input type="checkbox"/>	<input type="button" value="X"/>	Object Type: Any Host: Service: Hostgroup: Servicegroup:	Action Type: URL URL / Command: Target: _blank Action Text: Search for a service on Google	<pre>/* if ({{%objecttype% == 'host' && '%hoststateid%' != '0'}} ({{%objecttype% == 'service' && '%servicestateid%' != '0'}})) { \$img = '/nagiosxi/images /schedulecheck.png'; \$showlink = true; } else { \$showlink = false; } */</pre>	Everyone

Each section of the Action Component is explained in further detail in the following sections.

How To Use The Action Components In Nagios XI 5

Match Criteria

The **Match Criteria** section allows you to specify which objects will receive the quick action links on their details page. You can limit the effected objects by object type and group type.

Additionally, the **Host and Service** fields are for regular expression patterns to match in the host or service names of objects (you must wrap the regex with forward slashes). These options are additive, so using more than one of the Match Criteria will only find objects that match all of the criteria.

For example, the following criteria will apply the action to all hosts and services that belong to a host with 192 in the hostname field and belong to the `linux-servers` hostgroup:


Object Type: **Any**

Host: **/192/**

Service:

Hostgroup: **linux-servers**

Servicegroup:



The screenshot shows a form with five rows, each with a label and a corresponding input field:

- Object Type:** A dropdown menu with "Any" selected.
- Host:** A text input field containing "/192/".
- Service:** An empty text input field.
- Hostgroup:** A dropdown menu with "linux-servers" selected.
- Servicegroup:** A dropdown menu with a downward arrow, indicating it is currently empty.

Action

The Action section identifies what action is run when the quick action link is selected. There are 2 types of actions: a **URL**, or a shell **Command**. Macros (variables) can be used with either. These actions will be run when the quick action link with the respective Action Text label is clicked on the host or service details page for any object that matches the Match Criteria.

How To Use The Action Components In Nagios XI 5

URL Action Type

This is the most basic portion of the component. When you select an **Action Type** of **URL**, it enables URL links to be displayed in the quick actions list for the specified hosts/services. You must enter the full URL including `http://` if required for your link.

Action Type:	<input type="text" value="URL"/>
URL / Command:	<input type="text" value="http://www.google.com/search?q=%host%"/>
Target:	<input type="text" value="_blank"/>
Action Text:	<input type="text" value="Search for a host on Google"/>

You can additionally use macros in the URL field. On the screenshot above you can see `%host%` is being used in the URL. This will search for the host you are currently viewing.

Here's an example. Let's assume that you have an internal web portal with information about the servers on your network, separated by individual URLs for each server, by the server's hostname in the format of:

```
http://yourwebportal.tld/<hostname>.html
```

`%host%` is the macro which represents the name of the host you will be viewing (Host Status Details page). This means the URL, you would then enter into the URL field would resemble:

```
http://yourwebportal.tld/%host%.html
```

If your server in question had the hostname **host1**, the URL for the server's quick action would become:


```
http://yourwebportal.tld/host1.html
```

How To Use The Action Components In Nagios XI 5

Command Action Type

This is where the real power of the Action Component can be found, using the **Action Type** of **Command**. You can run any shell command or script from the action link, using macros and variables. If you wish to use pipes "|", percentage symbols "%" (other than macros), or other meta characters in your command, you will have to call a script as the actions component is limited on its escaping abilities.

Let's start with a simple command: `dmesg`. As this command is only specific to the Nagios XI server, we will set the criteria to only match the hostname localhost. Create an **Action** with the following values:



Object Type:	Any	Action Type:	Command
Host:	/localhost/	URL / Command:	dmesg
Service:		Action Text:	System Messages
Hostgroup:			
Servicegroup:			

Object Type: **Host**

Host: **/localhost/**

Action Type: **Command**

Command: **dmesg**

Action Text: **System Messages**


Make sure the check box for the command is checked to enable the command and then click the **Apply Settings** button.

Navigate to **Home > Host Detail** and select the host localhost.


A new quick action should be available: **System Messages**.

How To Use The Action Components In Nagios XI 5

Clicking this link will display the output of dmesg.



How To Use The Action Components In Nagios XI 5



Here is an example of the output produced by clicking the **System Messages Quick Action**. The screenshot has been edited to show the command executed (top of the screen) and the two buttons **Run Again** and **Close**.

Advanced Command Actions

In the following example, we will create an action that submits a comment for any given host by the user auditor. This action will include the passing of the %host% macro to a script that will be written to the Nagios command pipe.

More information about the Nagios command pipe can be found at:

<https://assets.nagios.com/downloads/nagioscore/docs/nagioscore/4/en/extcommands.html>

How To Use The Action Components In Nagios XI 5

Establish a terminal session to your Nagios XI server.

You will need to create a script named `security_audit_completed.sh` in `/usr/local/nagios/libexec/`. The following command does that by opening a new file in `vi`:

```
vi /usr/local/nagios/libexec/security_audit_completed.sh
```

Paste the following code into the file:

```
#!/bin/bash
HOST=$1
/usr/bin/printf "[%lu] ADD_HOST_COMMENT;$HOST;1;auditor;This host has passed
security audit\n" `date +%s` > /usr/local/nagios/var/rw/nagios.cmd
```

Note: The last two lines above are one long line, the `security_audit\n` line continues immediately after `has passed` with a space separating the two. Save the changes, you have finished editing this file.

Make the script executable with this command:

```
chmod +x /usr/local/nagios/libexec/security_audit_completed.sh
```

The script you just created is passed one macro, the hostname using `%host%`. The bash script is receiving this as `$1`.

Now the script has been created you need to define the action in Nagios XI. Return to the Actions Component to create an action. This action will apply to every host, so you use the regex `/.*/` in the Host field.

How To Use The Action Components In Nagios XI 5

The full details are:

Object Type:	Any	Action Type:	Command
Host:	./*/	URL / Command:	nios/libexec/security_audit_completed.sh "%host%"
Service:		Action Text:	Security Audit Successful
Hostgroup:			
Servicegroup:			

Object Type: **Host**

Host: ./*/

Action Type: **Command**

Command: /usr/local/nagios/libexec/security_audit_completed.sh "%host%"

Action Text: **Security Audit Successful!**

After populating the action with the settings above click **Apply Settings**. Now navigate to **Home > Host Detail** and select any of your hosts.

How To Use The Action Components In Nagios XI 5

Host Status Detail

server01
Alias: server01

Overview

OK - 10.25.13.55: rta 0.039ms, lost 0%

Address: 10.25.13.55

Status Details

Host State:	Up
Duration:	3d 17h 12m 3s
Host Stability:	Unchanging (stable)
Last Check:	2017-02-03 10:42:52
Next Check:	2017-02-03 10:47:52

Quick Actions

- Disable notifications
- Force an immediate check
- Security Audit Successful!**
- Ping this host
- Connect to server01
- Traceroute to this host

Acknowledgements and Comments

By **auditor** at 2017-02-03 10:44:30
This host has passed security audit

Click the **Security Audit Successful** link and a pop-up will appear informing you that the command that was run.

You will see a new comment will be added to the **Host Status Detail** page after a moment or two declaring that the security audit was indeed successful.

How To Use The Action Components In Nagios XI 5

Sending an Email (Potentially to a Ticketing System)

You will need to create a script named `notify_host_action.sh` in `/usr/local/nagios/libexec/`. The following command does that by opening a new file in `vi`:

```
vi /usr/local/nagios/libexec/notify_host_action.sh
```

Paste the following code into the file:

```
#!/bin/bash
DATE=$(date)
HOST=$1
HOSTSTATE=$2
HOSTADDRESS=$3
# Set your ticketing system's email below
Email=email@domain.tld
/usr/bin/printf "%b" "***** Nagios Monitor XI Alert *****\n\nHost: $HOST\nState:
$HOSTSTATE\nAddress: $HOSTADDRESS\n\nDate/Time: $DATE\n" | /bin/mail -s "** Host Alert:
$HOST is $HOSTSTATE **" $EMAIL
```

Note: The last three lines above are one long line. You will want to change the email address in the script to the email address of your company. Save the changes, you have finished editing this file.

Make the script executable with this command:

```
chmod +x /usr/local/nagios/libexec/notify_host_action.sh
```

Return to the **Actions Component** to create an action. This action to apply to every host, so you use the regex `./ */` in the Host field. The above script requires Nagios XI to send its values, these are the macros in the command below and need to be in a specific order so they match up with the bash script. The full details are:

Object Type: **Host**

Host: `./ */`

Action Type: **Command**

Command: `/usr/local/nagios/libexec/notify_host_action.sh "%host%" %hoststatetype% %hostaddress%`

Action Text: **Send Email**

How To Use The Action Components In Nagios XI 5

After populating the action with the settings above click **Apply Settings**. Now navigate to **Home > Host Detail** for any of your hosts. Click the **Send Email** link and you should now receive an email sent from the Nagios XI system.

Code

In the Action Component, the code field is by far the most advanced portion of the Action Component. Its original purpose was to further limit the objects that will display the action, but you may discover other use cases. The code has to be a valid PHP code.

The default code is commented out, the characters that begin and end the commenting are `/*` and `*/`. For example:

```
/* This sentence could be typed in the code field and because they are
   between the comment markers the text is ignored */
```

The code field cannot be left empty, so if you want nothing in the field simply populate it with `/**/`.

If you remove the comment markers from the default code, it will cause the quick action link to only be displayed if the object in question was not in an OK or UP state AND it will also define the icon image for the link.

Below is the default code in an easy-to-read format:

```
if((%objecttype%=='host' && '%hoststateid%'!='0') ||
(%objecttype%=='service' && '%servicestateid%'!='0')){
    $img='/nagiosxi/images/schedulecheck.png';
    $showlink=true;
}
else{
    $showlink=false;
}
```

You can use any of the available macros in the Available Macros section of this document to further extend the logic to meet your needs.

How To Use The Action Components In Nagios XI 5

Permissions

- You can also define the type of users that you want the action to be available for.
 - Everyone
- All users get the action link Admin & Users (No Read Only)
 - All users EXCEPT read only users get the action link
- Admin Only
 - Admins get the action link
- Custom
 - Select the specific Nagios XI users that get the action link

Available Macros

The Action Component uses its own specifically defined macros (not the standard Nagios macros). Each list is specific to the object you are running the action from, even though there is some overlap of available macros. If you configure an action for a group of host objects, only the HOST MACROS should be used, the same applies to service objects and the SERVICE MACROS below.

As previously mentioned in this document, all macros in the Actions Component must be wrapped with percentage symbols (%), i.e. `%macro%`. Additionally, any macros that has a chance of containing a space should be wrapped in double quotes, i.e. `"%macro%"`, this usually includes the name of an object or return strings and text.

Below is a comprehensive list of all available macros for the component:

How To Use The Action Components In Nagios XI 5

HOST MACROS:

host hostname hostaddress hostid hostdisplayname hostalias hoststateid hoststatetype hoststatustext hoststatustextlong	hostperfddata hostchecktype hostactivechecks hostpassivechecks hostnotifications hostacknowledged hosteventhandler hostflapdetection hostisflapping hostpercentstatechange	hostdowntime hostlatency hostexectime hostlastcheck hostnextcheck hosthasbeenchecked hostshouldbescheduled hostcurrentattempt hostmaxattempts
---	---	---

SERVICE MACROS:

service servicename serviceid servicedisplayname servicestateid servicestatetype servicestatustext servicestatustextlong serviceperfddata hostchecktype serviceactivechecks servicepassivechecks servicenotifications serviceacknowledged serviceeventhandler serviceflapdetection serviceisflapping servicepercentstatechange servicedowntime	servicelatency serviceexectime servicelastcheck servicenextcheck servicehasbeenchecked serviceshouldbescheduled servicecurrentattempt servicemaxattempts host hostname hostaddress hostid hostdisplayname hostalias hoststateid hoststatetype servicestatustext servicestatustextlong hostperfddata	hostchecktype hostactivechecks hostpassivechecks hostnotifications hostacknowledged hosteventhandler hostflapdetection hostisflapping hostpercentstatechange hostdowntime hostlatency hostexectime hostlastcheck hostnextcheck hosthasbeenchecked hostshouldbescheduled hostcurrentattempt hostmaxattempts
--	---	---

How To Use The Action Components In Nagios XI 5

Finishing Up

This document describes **How To Use The Action Components in Nagios XI 2024..**

If you have additional questions or other support-related questions, please visit us at our Nagios Support Forum, Nagios Knowledge Base, or Nagios Library:

[Visit Nagios Support Forum](#)

[Visit Nagios Knowledge Base](#)

[Visit Nagios Library](#)