



Purpose

This document discusses a Nagios Log Server Single Instance Deployment compared to using multiple instances in a cluster.

Target Audience

This document is intended for use by Administrators who wish to maintain a single instance deployment of Nagios Log Server.

Overview

Nagios Log Server is a clustered application, specifically it is the Elasticsearch database used by Nagios Log Server that provides the cluster functionality. The Elasticsearch database spreads the log data across the instances in the cluster to provide redundancy. If one of the instances in the cluster died then the log data on that instance is not lost.

The redundancy is provided by shards and replicas that are created for each index. This is explained in more detail in the [Managing Nagios Log Server Indices](#) documentation.

When you have a single instance cluster, the replica shards can never be put on another instance as such instance doesn't exist. The cluster will always have a **Yellow** health status.

The purpose of this documentation is to provide you with the steps to disable the replica shards in your cluster, this will result in your cluster having a **Green** health status. This documentation also provides the steps to re-enable the replica shards in the event that you wish to add another instance in the future.

Nagios Enterprises strongly recommends that you have at least two instances in your cluster. A single instance cluster provides no redundancy and this can lead to a total loss of your log data.

Cluster Yellow Status

This first screenshot demonstrates a single instance cluster that has a **Yellow** health status. To view the cluster status navigate to **Admin > System > Cluster Status**.

The screenshot shows the Nagios Log Server interface. The top navigation bar includes Home, Dashboards, Alerting, Configure, Help, and Admin. A search bar for logs is present, along with a user profile for nagiosadmin and a Logout button.

The main content area is titled "Cluster Status" and displays the Cluster ID: 19fd8a8-6d90-47c6-b251-eb3ded144f1f.

Cluster Statistics:

- 270,799 Documents
- 178.6MB Primary Size
- 178.6MB Total Size
- 1 Data Instance
- 42 Total Shards
- 5 Indices

Cluster Health:

Status	Yellow
Timed Out?	false
# Instances	1
# Data Instances	1
Active Primary Shards	21
Active Shards	21
Relocating Shards	0
Initializing Shards	0
Unassigned Shards	21

Indices Table:

Index	# Docs	Primary Size	# Shards	# Replicas	Action
<input type="checkbox"/> logstash-2017.11.02	258,154	175.7MB	5	1	<input type="button" value="close"/> <input type="button" value="delete"/>
<input type="checkbox"/> logstash-2017.11.01	8,212	2.2MB	5	1	<input type="button" value="close"/> <input type="button" value="delete"/>

With selected indices:

In the Indices table you can see that each index has 1 **replicas**. In the Cluster Health table you can see there are 21 **Unassigned Shards** and the cluster has a **Yellow** health status. It is these unassigned shards waiting for replication that is causing the cluster to remain with a **Yellow** health status.

Disable Replicas

The following steps will disable replicas being created for every new index and will also disable the replicas on the existing indices.

If you were to add another instance to your cluster after following these steps you will need to follow the steps in the [Enable Replicas](#) section of this document.

Nagios Enterprises strongly recommends that you have at least two instances in your cluster. A single instance cluster provides no redundancy and this can lead to a total loss of your log data.

You will need to establish a terminal session to your Nagios Log Server as the root user to disable replicas.

The first step is to disable replicas on newly created indices. You will need to edit the `elasticsearch.yml` file using the vi editor with this command:

```
vi /usr/local/nagioslogserver/elasticsearch/config/elasticsearch.yml
```

When using the vi editor, to make changes press `i` on the keyboard first to enter insert mode. Press `Esc` to exit insert mode.

Find this line:

```
# index.number_of_replicas: 1
```

You will need to remove the `#` from the beginning of the line and set the value to `0`:

```
index.number_of_replicas: 0
```

Nagios Log Server Single Instance Deployment

When you have finished, save the changes in vi by typing:

```
:wq
```

and press Enter.

The next step is to restart the Elasticsearch database using one of these commands:

RHEL | CentOS | CentOS Stream | Oracle Linux | Debian | Ubuntu

```
systemctl restart elasticsearch.service
```

The last step is to disable replicas on all existing indices using the following command:

```
curl -XPUT 'http://localhost:9200/_settings' -d '{ "number_of_replicas" : "0" }'
```

This will produce output of:

```
{"acknowledged":true}
```

Now that these changes have been made, return to the Nagios Log Server web interface and navigate to **Admin > System > Cluster Status**.

Nagios Log Server Single Instance Deployment

The screenshot shows the Nagios LS interface for a single instance deployment. The top navigation bar includes Home, Dashboards, Alerting, Configure, Help, and Admin. A search bar for logs is present, along with a user profile for 'nagiosadmin' and a Logout button.

Cluster Status (Cluster ID: 19fd8da8-6d90-47c6-b251-eb3ded144f1f)

Cluster Statistics

271,254 Documents	182.7MB Primary Size
182.7MB Total Size	1 Data Instances
21 Total Shards	5 Indices

Cluster Health

Status	Green
Timed Out?	false
# Instances	1
# Data Instances	1
Active Primary Shards	21
Active Shards	21
Relocating Shards	0
Initializing Shards	0
Unassigned Shards	0

Indices

Index	# Docs	Primary Size	# Shards	# Replicas	Action
<input type="checkbox"/> logstash-2017.11.02	258,605	179.8MB	5	0	close delete
<input type="checkbox"/> logstash-2017.11.01	8,212	2.2MB	5	0	close delete

With selected indices:

In the Indices table you can see that each index has 0 **replicas**. In the Cluster Health table you can see there are 0 **Unassigned Shards** and the cluster has a **Green** health status.

Your cluster is now configured so that it does not create replicas and hence will have a **Green** health status.

If you were to add another instance to your cluster after following these steps you will need to follow the steps in the [Enable Replicas](#) section of this document.

Nagios Enterprises strongly recommends that you have at least two instances in your cluster. A single instance cluster provides no redundancy and this can lead to a total loss of your log data.

Enable Replicas

If you previously disabled replicas on your Nagios Log Server cluster then you will need to re-enable them if you decided to add another instance to your cluster.

You will need to establish a terminal session to your Nagios Log Server as the root user to enable replicas.

The first step is to enable replicas on newly created indices. You will need to edit the `elasticsearch.yml` file using the vi editor with this command:

```
vi /usr/local/nagioslogserver/elasticsearch/config/elasticsearch.yml
```

When using the vi editor, to make changes press `i` on the keyboard first to enter insert mode. Press `Esc` to exit insert mode.

Find this line:

```
index.number_of_replicas: 0
```

You will need to set the value to 1:

```
index.number_of_replicas: 1
```

When you have finished, save the changes in vi by typing:

```
:wq
```

and press Enter.

The next step is to restart the Elasticsearch database using one of these commands:

RHEL | CentOS | CentOS Stream | Oracle Linux | Debian | Ubuntu

```
systemctl restart elasticsearch.service
```

The last step is to enable replicas on all existing indices using the following command:

```
curl -XPUT 'http://localhost:9200/_settings' -d '{ "number_of_replicas" : "1" }'
```

This will produce output of:

```
{"acknowledged":true}
```

Now that these changes have been made, return to the Nagios Log Server web interface and navigate to **Admin > System > Cluster Status**. In the Indices table you can see that each index has 1 **replicas**.

You will need to wait while the unassigned shards are replicated to your other instance(s) in the cluster. Depending on the size of the indices it may take a while to finish replicating. Once completed the cluster should have a **Green** health status.

Finishing Up

This completes the documentation on a single instance deployment of Nagios Log Server.

If you have additional questions or other support related questions, please visit us at our Nagios Support Forums:

<https://support.nagios.com/forum>

The Nagios Support Knowledgebase is also a great support resource:

<https://support.nagios.com/kb>