

How To Achieve High Availability In Nagios XI 5

Purpose

This document describes how to achieve High Availability (HA) capabilities with Nagios XI 5. The goal of High Availability is to ensure that if your primary Nagios XI instance stops or crashes, another instance will automatically and seamlessly take over the job of monitoring.

Note: If you are using Nagios XI 2024, refer to the [updated document](#).

Additional Documents

Nagios Administrators should read the following documents to better understand the options available for achieving high availability and ensuring your monitoring infrastructure is running properly: [Monitoring A Nagios XI Server](#)

High Availability Overview

The goal of HA is to ensure that if your primary Nagios XI instance stops or crashes, another instance will automatically and seamlessly take over the job of monitoring.


Methods of achieving an HA solution can sometimes be complicated. Before you embark on designing and deploying an HA solution you should outline the goals you wish to achieve with the solution you are proposing.

How To Achieve High Availability In Nagios XI 5

A Simple Method To Ensure Your Monitoring Server Is Running

A simple and effective method of ensuring that your Nagios XI monitoring server is running properly and that you are notified immediately if your Nagios XI server stops running, crashes, or becomes unreachable is to monitor that server with a remote Nagios XI instance.

While this method is not a true HA option, it does accomplish what 99% of Nagios users are looking to accomplish - ensuring that they know when a problem occurs with their monitoring server so they can fix the problem.



The method for configuring this type of monitoring functionality is described in the following documentation:

[Monitoring_A_Nagios_XI_Server](#)

High Availability Options

High Availability (HA) solutions for Nagios XI ensure that your Nagios XI server is always up and running and monitoring your IT infrastructure. Options for achieving HA with Nagios XI are listed below.

How To Achieve High Availability In Nagios XI 5

Option 1 - VMware High Availability

If you are running Nagios XI as a VMware virtual machine in your vSphere environment, VMware's High Availability product can be utilized to achieve HA. VMware High Availability provides for easy failover of the complete virtual machine to ensure continuous availability of the server's functionality. Information on VMware High Availability, as well as a trial download can be found online at:

<http://www.vmware.com/products/vsphere/high-availability.html>

Option 2 – Open Source Solutions

If you would like to implement your own HA solution using Open Source tools, you can do so with a combination of:

- Pacemaker (<http://clusterlabs.org>)
- DRBD (<http://docs.linbit.com>)
- Linbit Guide for setting up DRBD Cluster (<https://linbit.com/blog/making-nagios-xi-highly-available-on-rhel-9-by-using-drbd-pacemaker-tech-guide/>)

Configuring this type of solution is beyond the scope of this document. Please refer to the guide below for more information:

- Integrating DRBD with Pacemaker Clusters
<https://docs.linbit.com/docs/users-guide-9.0/#ch-pacemaker>

Finishing Up

This completes the documentation on how to set up your Nagios XI system for High Availability. If you have additional questions or other support-related questions, please visit us at our Nagios Support Forum, Nagios Knowledge Base, or Nagios Library:

[Visit Nagios Support Forum](#)

[Visit Nagios Knowledge Base](#)

[Visit Nagios Library](#)