

## The Industry Standard in IT Infrastructure Monitoring

### Purpose

This document describes how to install the Solaris monitoring agent on target Solaris servers. This allows organization to monitor vital metrics and ensure that their Solaris servers are functioning properly. Currently only Solaris 10 is supported, but support for other versions of Solaris may be added in the future.

### Target Audience

This document is intended for use by Nagios Administrators who wish to monitor Solaris servers with Nagios XI.

### Installing The Agent

Log onto the Solaris server you wish to monitor as root and download the Solaris NRPE agent to the `/tmp` directory.

```
cd /tmp
wget http://assets.nagios.com/downloads/nagiosxi/agents/solaris-nrpe-agent.tar.gz
```

Unpack the installation archive you just downloaded:

```
gunzip -c solaris-nrpe-agent.tar.gz | tar xf -
```

Enter the newly created agent subdirectory:

```
cd solaris-nrpe-agent
```

Run the wrapper script:

```
./fullinstall
```

During the installation, you will be asked to confirm the following:

- Installation of a setuid root binary, `pst3`. This is necessary for the `check_procs` plug-in.
- Running scripts as the superuser. These scripts check for the existence of the `nagios` user and group and create them if necessary

The wrapper script will automatically take care of a number of things for you, including

- Installing prerequisite packages, if not already installed
- Creating required users and groups

- Defining services
- Installing the agent and plugins
- Configuring the agent

The script will prompt you for the systems that are allowed to connect to it to perform checks; you may have multiple entries in this list, separated only by commas (no spaces). Be sure to include all monitoring servers. The entries may either be a single address, a single host name or a block of addresses in CIDR notation (eg. 192.168.0.0/24). Press enter to complete the allowed hosts configuration.

Future changes to the allowed hosts can be made by editing the `allowed_hosts` entry in `/etc/nagios/nrpe.cfg`.

## Workaround For Installing The Agent On Vanilla Solaris 11

Install the ucb compatibility package:

```
pkg install compatibility/ucb
```

Edit `solaris-nrpe-agent/init.sh` line 9 to report sol10 for `$ver = '5.11'`:

Change:

```
if [ $ver = "5.10" ] ; then
    platform="sol10"
fi
```

To:


```
if [ $ver = "5.11" ] ; then
    platform="sol10"
fi
```

Make two symlinks:

```
/usr/lib/libssl.so.0.9.7 -> /lib/libssl.so
/usr/lib/libcrypto.so.0.9.7 -> /lib/libssl.so
```

## Finishing up

You have now successfully installed and configured the monitoring agent and required plugins on the Solaris server. In order to monitor the server using Nagios XI, you will need to run the Solaris configuration wizard in the Nagios XI web interface.



If you have any questions regarding Nagios XI visit our Nagios Support Forums at:

<https://support.nagios.com/forum>