#### **Purpose**

This document describes how to monitor Microsoft SQL in Nagios XI.

### **Terminology**

MSSQL has several components that require configuration to allow Nagios XI to monitor it. The steps that are required differ depending on:


- Database engine is running as a Named Instance
  - Multiple instances of MSSQL can be installed on the same server but will be listening on separate network ports (normally dynamic)
  - The SQL Server Browser service will provide information about the instances installed (like the network port) when receiving requests on UDP port 1434
  - o When using the MSSQL wizards, if you define an instance, you do not provide the port
- Database engine is configured to use a specific TCP port
  - The default instance of MSSQL commonly runs on TCP port 1433
- This or any other instance can be configured to listen on a specific port
  - When using the MSSQL wizards, if you define a port, you do not provide the instance name
- Database monitoring user account I
  - You need to create a user account in the MSSQL instance to allow Nagios XI to connect
  - This account can use SQL authentication or Windows authentication with MSSQL
  - It is strongly recommended that you don't use the sa or administrator account for this purpose
- Database engine authentication method
  - SOL authentication
    - Is a local user account specific to the MSSQL instance
  - Windows authentication
    - Maps a Windows user account to an internal MSSQL user
- Windows firewall rules to allow inbound traffic
  - The MSSQL server will need firewall rules to allow the incoming network traffic

www.nagios.com Page 1 of 20

### **Create Monitoring User Account**

The best practice for monitoring is to create a user account in the MSSQL instance that will be used by Nagios XI to connect. Even when using Windows Authentication, you will need to create an account in MSSQL that is linked to this account. It is advisable that your Windows or MSSQL account is not allowed to expire, otherwise this will cause monitoring issues when it eventually does expire.

- On your MSSQL server, open SQL Server Management Studio and connect to your instance as a user with administrative rights.
- 2. Expand **Security** and select **Logins**.
- 3. Right click on **Logins** and select **New Login**
- The Login New window will appear.
  Depending on your authentication method your choices will be slightly different:
  - Windows Authentication
  - SQL Authentication Windows Authentication



#### **Windows Authentication**


Select Windows authentication and then click the Search button.



www.nagios.com Page 2 of 20



2. You will need to use the **Locations** button to define the scope of the Windows user account.




The default scope is the local server, if you want to use a domain account use the **Locations** button. In the screenshot you can see the B0X293.local domain was selected.

www.nagios.com Page 3 of 20



3. Type the name of the account and then click the **Check Names** button. Your user account should be found



- 4. Click **OK** to select the account.
- 5. In the **New Login** screen, you can see the **Login name** field is now populated. All the required fields have been populated, click the **OK** button.




The **VIEW SERVER STATE** permission needs to be granted to the new user account.

www.nagios.com Page 4 of 20



6. Right click the server at the top and select New Query.




7. You will need to type the following in the query window:

GRANT VIEW SERVER STATE TO "<username>"

www.nagios.com Page 5 of 20

In the screenshot you can see "BOX293\nagios" was provided, it needs to match the **Login** you can see in the left pane.




8. Press the **F5 key** on the keyboard to execute the query. You should receive the message "Command(s) completed successfully" in the messages window. You can now close the query window, when prompted to save changes, click **No**.

You can now proceed to the <u>Assign Monitoring Account</u> section of this document.


www.nagios.com Page 6 of 20



### **SQL Authentication**



- 1. Provide a Login name.
- 2. Select **SQL Server authentication**.
- 3. Provide a password.
- 4. Un-check the Enforce password expiration checkbox.
- 5. Click **OK** to create the account.




www.nagios.com Page 7 of 20



The **VIEW SERVER STATE** permission needs to be granted to the new user account.

6. Right click the server at the top and select **New Query**.



7. You will need to type the following in the query window:

GRANT VIEW SERVER STATE TO <username>

In the screenshot, you can see **nagios** was provided, it needs to match the **Login** you can see in the left pane.

8. Press the **F5 key** on the keyboard to execute the query. You should receive the message "Command(s) completed successfully" in the messages window. You can now close the query window, when prompted to save changes, click **No**.


You can now proceed to the <u>Assign Monitoring Account</u> section of this document.

www.nagios.com Page 8 of 20



### **Assign Monitoring Account**

Now that a monitoring user account has been created it needs to be assigned to the databases you want to monitor.




This example will use a database called Sample.

- 1. Expand Databases > Sample > Security and select Users.
- 2. Right click **Users** and select **New User**.

www.nagios.com Page 9 of 20



The User type will be SQL user with login regardless of which authentication method you have chosen.




- 3. Provide a Username.
- 4. For the Login name click the ... button.
- 5. Type the name of the user and click the **Check Names** button.

www.nagios.com Page 10 of 20



6. You may be prompted to select the correct user, click the **OK** button once you have a valid name



7. Once you have populated these fields click the **OK** button.

You will now see the user appear in the list of users.

This completes the steps required for creating a user account for monitoring MSSQL.

### **MSSQL Network Ports And Firewall Rules**


- If your MSSQL server has the Windows firewall enabled, you will need to create firewall rules to allow inbound traffic from the Nagios XI server.
- If your Nagios XI server and MSSQL server are on separate subnets, the router(s) that connect these subnets may have firewall rules in place. These router(s) will also need firewall rules to allow traffic from the Nagios XI server to the MSSQL server.
- If you have multiple MSSQL instances on the same server then you will need to configure these instances to run on dedicated network ports.
- If you do not have the Windows firewall enabled, then this is not required. The SQL Browser service will inform the Nagios XI server which port to communicate on
- If your Nagios XI server and MSSQL server are on separate subnets, the router(s) connecting these subnets may have firewall rules in place. If this is the case, then the MSSQL instances will need to be configured to run on dedicated network ports.
- The same applies if you have SQL Express Edition.

www.nagios.com Page 11 of 20




### **Identify MSSQL Network Port**

The first step is to identify the network port the MSSQL server is configured to run on. On your MSSQL server open the SQL Server Configuration Manager.



1. Select **SQL Server Network Configuration** and you will see a list of Protocols for the instances installed on your MSSQL server (this screenshot has three instances).

2. Double click on one of the instances and then double click on **TCP/IP**.



www.nagios.com Page 12 of 20

- 3. Click the **IP Addresses** tab and scroll down to the **IPAII** section.
- 4. On the left screenshot you can see the port is **1433**.
- On the right screenshot you can see there is no port, however the **Dynamic Port** field is populated.

To change this to a fixed port:


- Clear the TCP Dynamic Ports field
- Type the port number you want to use in the TCP Port field
- Click **OK** and the **restart** the SQL Server service (under SQL Server Services in the left pane)

#### **Create Firewall Rule**

The next step is to create the network firewall rule. The following example will create a rule for TCP 1433.




- 1. Open Windows Administrative Tools > Windows Firewall with Advanced Security
- 2. In the left pane select Inbound Rules




www.nagios.com Page 13 of 20

#### 3. Right click Inbound Rules and select New Rule



#### Select Port

#### 4. Click Next




- 5. Select TCP
- 6. Select Specific local ports and type the port number.
- 7. Click Next


www.nagios.com Page 14 of 20



#### 8. Select Allow the connection




#### 9. Click Next



Make the sure Profile selections meet your requirements

#### 10. Click Next




11. Provide a Name and optionally a description.

www.nagios.com Page 15 of 20

#### 12. Click Finish

### **Running The Configuration Wizards**

This documentation will now explain the configuration wizards. In Nagios XI navigate to **Configure > Configuration Wizards** and select the **MSSQL wizard** of your choice. In the following screenshot, you can see how the search field allows you to quickly find a wizard.



**Step 1** on each of the wizards has the same options, what you select here depends on your MSSQL instance configuration and firewall settings.

#### Address

- This is either the IP address or FQDN DNS record of the MSSQL server
- Avoid using a flat name record like mssql01, use the FQDN like mssql01.box293.local

#### Instance

- Referencing the instance allows you to connect without defining a port number
- To use the instance name instead of a port:
  - The SQL Browser service needs to be running on the MSSQL server
  - If you have the Windows firewall enabled:
    - A firewall rule must be created for UDP 1434 to allow the SQL Browser Service to work
    - Each MSSQL instance needs to be configured on a dedicated network port
    - A firewall rule must be created for each MSSQL instance running

#### Port

- Referencing the port allows you to connect without defining an instance name
- o If you have the Windows firewall enabled:

www.nagios.com Page 16 of 20

- Each MSSQL instance needs to be configured on a dedicated network port
- A firewall rule must be created for each MSSQL instance running

#### Username

- This is the Windows username or SQL account required to connect, for example:
- Windows authentication
  - BOX293\nagios
- SQL authentication
  - nagios

#### Password

The password for the username supplied

#### Database

o The Database and Query wizards require the name of the database you wish to monitor

MSSQL Ser	ver
Address:	mssql01.box293.local
Host Name:	MSSQL01
	The name you'd like to have associated with this MSSQL Database.
Instance:	
	Instance name of the MSSQL server.
Port:	1433
Username:	nagios
Password:	••••••
Database:	Sample

**Step 2** on each of the wizards will present a summary of the SQL Server details at the top of the page.

Make sure the **Host Name** field has a value that easily identifies this MSSQL Server. Each of the wizards has different metrics that can be measured. The metrics available are clearly explained in the wizards and hence will not be covered here.

The warning and critical thresholds can be defined as per the Nagios Plugin Development Guidelines, detailed information on this can be found on the following page:

www.nagios.com Page 17 of 20




#### https://nagios-plugins.org/doc/guidelines.html#THRESHOLDFORMAT

Once you've finished selecting all the items you wish to monitor click **Next** and then complete the wizard by choosing the required options in **Step 3 - Step 5**.

To finish up, click on **Finish** in the final step of the wizard. This will create new hosts and services and begin monitoring.

Once the wizard applies the configuration, click the **View status details** for link to see the new host and services that were created. Here are some examples from the different wizards:

#### MSSQL Database:




#### MSSQL Query:



www.nagios.com Page 18 of 20



#### MSSQL Server:



### **Troubleshooting Tips**

If you experience problems with the services created by the wizards there are some simple troubleshooting steps you can follow which are related to the earlier sections in this documentation.

The first step would be to temporarily disable the Windows Firewall on the MSSQL server and see if the problem stops. If it does, then you know you need to add firewall rules and possibly configure the MSSQL instance to listen on a specific port.

There are KB articles that deal with specific issues with monitoring MSSQL in Nagios XI. You can review them here:

https://support.nagios.com/kb/article/nagios-xi-mssql-query-wizard-invalid-characters-in-the-username.html

https://support.nagios.com/kb/article/nagios-xi-mssql-wizards-adaptive-server-connection-failed.htm

Other problems may require further troubleshooting via our support forums or through customer support.

www.nagios.com Page 19 of 20



### **Finishing Up**

This completes the documentation on how to monitor Microsoft SQL in Nagios XI. If you have additional questions or other support-related questions, please visit us at our Nagios Support Forum, Nagios Knowledge Base, or Nagios Library:

Visit Nagios Support Forum

<u>Visit Nagios Knowledge Base</u>

Visit Nagios Library

www.nagios.com Page 20 of 20

