

Understanding Nagios XI Ports and Protocols

Purpose

This document provides a directory of the most common ports and protocols used in conjunction with Nagios XI.

Important Note

There are thousands of community-provided Nagios plugins which may use a variety of ports to send or receive data.

Administrators are advised to be aware of the unique port requirements in their environment.

Default Ports Used by Common Nagios Agents and Plugins

check_nt (nsclient++)	12489
Email (SMTP)	25, 465, 587
MongoDB	27017, 27018, 27019, 27020
MSSQL	1433
MySQL	3306
NCPA	5693
NRPE	5666
NSCA	5667
OracleDB	1521
PostgreSQL	5432
Weblogic	9090, 7001
WMI	135, 445 / additional dynamically assigned ports in 1024-1034 range

Understanding Nagios XI Ports and Protocols

Protocols

HTTP(s), ports 80 and 443	The Nagios XI product interfaces are web-based. Additionally, many of the Nagios agents can use HTTP to move data. SSL is not turned on out of the box.
SNMP, ports 161 and 162	SNMP is an integral part of network monitoring. Nagios XI will send requests to nodes on port 161 and receive results and traps on 162.
SSH, port 22	Nagios is built to run natively on supported Linux distributions. While nearly all administration can be done through the web interface, administrators may from time to time wish to log in.
FTP, port 21	Nagios XI gives you the option of moving a scheduled backup to a server on your network via FTP.

Finishing Up

This completes the documentation on Understanding Nagios XI Ports and Protocols. If you have additional questions or other support-related questions, please visit the Nagios Support Forum, Nagios Documentation Hub, or Nagios Library:

[Visit Nagios Support Forum](#)

[Visit Documentation Hub](#)

[Visit Nagios Library](#)